


FANUC

POWER FEED CONTACT				
	F001	A97L-0001-0664	Power feed contact lower OD25xID9x10mmT	H.LK.L.M series
	F002	A97L-0126-0001	Power feed contact U & L OD16xID6.3x6.5mmT	O.P.Q.R.T.W series
	F003	A290-8008-X107	Power feed contact U & L OD8xID4x10mmT	K.N.M series
	F004	A290-8032-Z882	Power feed contact U & L with groove OD16xID6.3x6.5mmT	W1...4 series AWF
	F005	A290-8101-X750	Power feed contact U & L 3x7.9x23mmL	α-0A/1A/1B/0B series Manual.AWF
	F006-30	A290-8110-X750	Power feed contact U & L 4x12x30mm long type	α-C/iA/iB series Manual.AWF
	F006-3	A290-8110-X750	Power feed contact U & L 4x12x24mm	α-C/iA/iB series Manual.AWF
	F006	A290-8110-X750	Power feed contact U & L 4x12x26mm	α-C/iA/iB series Manual.AWF
	F007	A290-8048-X759	Power feed contact upper OD15x6.3x6mmT	W0 type
	F011	A290-8119-Z780	Power feed contact 26X10X4mmT U & L	α-iD series
DIAMOND GUIDE				
	F101	A290-8021-X763 A290-8021-X764 A290-8021-X765 A290-8021-X766 A290-8021-X767	Diamond guide upper - 0.105mm Diamond guide upper - 0.155mm Diamond guide upper - 0.205mm Diamond guide upper - 0.255mm Diamond guide upper - 0.305mm	O.P.Q.R.T series Manual
	F102	A290-8021-X773 A290-8021-X774 A290-8021-X775 A290-8021-X776 A290-8021-X777	Diamond guide lower 0.105mm Diamond guide lower 0.155mm Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	O.P.Q.R.T series Manual
	F102T	A290-8021-Y775 A290-8021-Y776 A290-8021-Y777	Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	O.P.Q.R.T series Manual for taper
	F103	A290-8032-X773 A290-8032-X774 A290-8032-X775 A290-8032-X776 A290-8032-X777	Diamond guide upper 0.105mm Diamond guide upper 0.155mm Diamond guide upper 0.205mm Diamond guide upper 0.255mm Diamond guide upper 0.305mm	V.T.W series AWF
	F103T	A290-8032-Y765 A290-8032-Y766 A290-8032-Y767	Diamond guide upper 0.205mm Diamond guide upper 0.255mm Diamond guide upper 0.305mm	O.P.Q.R series Manual for taper

	F104	A290-8032-X732 A290-8032-X734 A290-8032-X735 A290-8032-X736 A290-8032-X737	Diamond guide lower 0.105mm Diamond guide lower 0.155mm Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	V.T.W series Alternation-simple type

DIAMOND GUIDE				
	F104T	A290-8032-X765 A290-8032-X766 A290-8032-X767	Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	V.T.W series Manual for taper
	F105	A290-8018-X443 A290-8018-X444 A290-8018-X445	Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	K.M.N.L series AWF
	F106	A290-8011-X831 A290-8011-X832 A290-8011-X833 A290-8011-X834 A290-8011-X835	Diamond guide U&L 0.105mm Diamond guide U&L 0.155mm Diamond guide U&L 0.205mm Diamond guide U&L 0.255mm Diamond guide U&L 0.305mm	K.M.N.L series manual (300A power supply)
	F107	A290-8018-X463 A290-8018-X464 A290-8018-X465	Diamond guide upper 0.205mm Diamond guide upper 0.255mm Diamond guide upper 0.305mm	K.M.N.L series AWF
	F108	A290-8011-X753 A290-8011-X754 A290-8011-X755	Diamond guide U&L 0.205mm Diamond guide U&L 0.255mm Diamond guide U&L 0.305mm	K.M.N.L series manual (60C power supply)
	F110	A290-8101-X730 A290-8101-X732 A290-8101-X733 A290-8101-X734 A290-8101-X735	Diamond guide upper 0.105mm Diamond guide upper 0.155mm Diamond guide upper 0.205mm Diamond guide upper 0.255mm Diamond guide upper 0.305mm	α-A/B/C/iA/iB series Manual
	F110T	A290-8103-X705 A290-8103-X706 A290-8103-X707	Diamond guide upper 0.205mm Diamond guide upper 0.255mm Diamond guide upper 0.305mm	α-A/B/C/iA/iB series Manual for taper 45Gr
	F111	A290-8101-X740 A290-8101-X742 A290-8101-X743 A290-8101-X744 A290-8101-X745	Diamond guide lower 0.105mm Diamond guide lower 0.155mm Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	α-A/B/C/iA/iB series Manual
	F111T	A290-8109-X715 A290-8109-X716 A290-8109-X717	Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	α-A/B/C/iA/iB series Manual for taper 45Gr
	F112	A290-8092-X702 A290-8092-X703 A290-8092-X704 A290-8092-X705 A290-8092-X706 A290-8092-X707 A290-8092-X708	Diamond guide upper 0.105mm Diamond guide upper 0.145mm Diamond guide upper 0.155mm Diamond guide upper 0.205mm Diamond guide upper 0.255mm Diamond guide upper 0.305mm Diamond guide upper 0.335mm	α-A/B/C/iA/iB series AWF
	F112T	A290-8104-X705 A290-8104-X706 A290-8104-X707	Diamond guide upper 0.205mm Diamond guide upper 0.255mm Diamond guide upper 0.305mm	α-A/B/C/iA/iB series AWF for taper 45Gr
	F112-iE	A290-8104-Y705 A290-8104-Y706	Diamond guide upper 0.205mm Diamond guide upper 0.255mm	iD/iE series


	F113	A290-8110-X712 A290-8110-X714 A290-8110-X715 A290-8110-X716 A290-8110-X717	Diamond guide lower 0.105mm Diamond guide lower 0.155mm Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	α -A/B/C/iA/iB series AWF
	F113T	A290-8110-Z715 A290-8110-Z716 A290-8110-Z717	Diamond guide lower 0.205mm Diamond guide lower 0.255mm Diamond guide lower 0.305mm	α -A/B/C/iA/iB series AWF for taper 45Gr


DIAMOND GUIDE				
	F113-iE	A290-8119-Y715 A290-8119-Y716	Diamond guide lower 0.205mm Diamond guide lower 0.255mm	iE series
	F120	A290-8110-Y726	Sub die guide upper 1.0mm	α -A/B/C/iA/iB series AWF
	F114	A290-8104-Y705 A290-8104-Y706 A290-8104-Y707	Wire guide upper 0.202mm Wire guide upper 0.252mm wire guide upper 0.302mm for high accuracy type	α -A/B/C/iA/iB/iD/iE series AWF
		A290-8119-Z740	Wire guide lower 0.25mm	
	F121	A290-8110-X774	Set die guide lower 1.0mm	α -A/B/C/iA/iB series AWF
	F122-1		Fixture for F122 upper	α -A/B/C/iA/iB series
	F122	A290-8101-X753	Set guide 0.4mm upper	α -A/B/C/iA/iB series AWF
	F123	A290-8037-X645	Die guide upper ID=0.4mm	W series
	F124 F124R	A290-8110-Y774	Sub die guide sapphire insert lower 1.0mm Sub die guide ruby insert lower 1.0mm	α -A/B/C/iA/iB series AWF
	F125-1 F125-2	A290-8102-Y756 / Y757	Jet nozzle upper ceramic insert 0.5mm/0.8mm/1.0mm/1.5mm	α -A/B/C/iA/iB series AWF
	F126	A290-8102-X723	Nozzle base upper OD58x19mmt	α -A/B series AWF
	F127	A290-8110-Y723	Nozzle base upper OD58x19mmt	α -C/iA/iC series AWF
	F128-0.3 F128-0.5	A290-8104-X620 A290-8102-X620	Guide for upper ceramic inserted 0.3mm Guide for upper ceramic inserted 0.5mm	Alpha-iB series AWF OD10x14mm
WATER NOZZLE				
	F201	A290-8021-Y745(5.5mm)	Water Nozzle U & L ID=4mm & 5.5mm	O.P.Q.R.T.W series Manual type
	F201-W2		Water Nozzle U & L ID=5.5mm	W2 series

	F202	A290-8021-Y755	Water Nozzle lower ID=5.5mm	O.P.Q.R.T.W series Manual type
	F204	A290-8037-X879/X870	Water Nozzle lower ID=5.5mm/13mm	W-1...4 series AWF T=9.0mm
	F205	A290-8032-Y611/X689	Water Nozzle upper ID=5.5/11mm	W-1...4 series AWF T=15mm
	F206	A290-8021-V722	Nozzle cap for F201 &F202	O.P.Q.R.T.W series




	F206-1	A290-8021-V722	Water nozzle cap U & L for F201 stainless material	O.P.Q.R.T.W series
	F207	A290-8048-X771	Water nozzle upper ID=7mm & 11mm OD 24X 16.5mm	WO Manural type
WATER NOZZLE				
	F208	A290-8048-X772	Water nozzle lower ID=7mm & 11mm OD 24X 16.5mm	WO Manural type
	F209	A290-8111-X774/X776	Nozzle ID=4mm & 6.5mm OD 40 x 38mmT	α-A/B/C series Manual type
	F210	A290-8101-X755	Nozzle holder lower for F211 OD 40 x 23mmT	α-A/B/C series Manual type
	F211	A290-8101-X774 A290-8101-X756	Water Nozzle lower ID=4mm & 6.5mm	α-A/B/C series Manual type
	F212	A290-8102-X752 A290-8104-X775 A290-8102-X775 A290-8102-X751	Nozzle upper id=12mm Nozzle upper id=2.0mm Nozzle upper id=4.0mm Nozzle upper id=6.5mm standard type	α-1A/1B/1C/iB series AWF OD 40 x 23.5mm
	F212+5		Nozzle upper id=6.5mm extend length 5mm	α-1A/1B/1C/iB series
	F213	A290-8102-X772 A290-8104-X774 A290-8102-X774 A290-8102-X771	Nozzle lower id=12mm Nozzle lower id=2.0mm Nozzle lower id=4.0mm Nozzle lower id=6.5mm standard type	α-1A/1B/1C/iB series AWF OD 40 x 25mm
	F213+5		Nozzle lower id=6.5mm extend length 5mm	α-1A/1B/1C/iB series
	F218	A290-8109-X776	Wter nozzle upper ID=6.5mm	α-C series Manual type
	F219	A290-8111-X776	Wter nozzle upper ID=6.5mm	α-iA/iB series Manual type
	F220		water nozzle 40X23.5mmT upper	α-iD/iE series




	F221	A290-8119-Z787 A290-8119-Z786 A290-8119-Z788	water nozzle ID=6.5mm 46X23mmT lower water nozzle ID=4.0mm 46X23mmT lower water nozzle ID=12 mm 46X23mmT lower	α-iD/iE series
CONNECTED & OTHER PARTS				
	F301	A290-8005-X722	Isolation plate lower	L series Manual
	F302	A290-8021-X709	Isolation plate lower	O.P.Q.R.T.W series
	F303	A290-8032-X334	Isolation plate lower	W4 series AWF


	F304	A290-8021-X602	Isolation plate upper L=51x33x29mm	O.P.Q.R.T.W series
	F304A	A290-8037-X692	Isolation plate upper L=51x31x30mm	WO old type
	F305	A290-8101-X509	Isolation plate upper L=40x40x34mm	α-A/B series
CONNECTED & OTHER PARTS				
	F305-1	A290-8102-X600	Guide base upper L=27x70x48mm	α-B series AWF
	F305-2	A290-8111-Y527 A290-8110-X600	Guide base upper L=27x70x35mm	α-C/1iA/iB series AWF
	F306	A290-8110-X312	Isolation plate lower type A OD72x15mmt	α-A/B/C series
	F306-1	A290-8110-Y312	Isolation plate lower Type B OD72x10mmt	OD72x10mmt
	F307	A290-8101-X761	Guide base lower 75x56x66mm	α-A/B series
	F307-1		Guide base lower 81x56x65mm	α-C series
	F307-2	A290-8110-X761	Guide base lower 81x56x65mm	α-iA/iB/iC series
	F307-▮	A290-8110-Y761	Guide base lower 81x56x66mm	α-i series
	F312		Isolator plate 40Lx38x17mmt upper	α-A,B series
	F314		Isolation plate upper 39x39x40mmt	α-C series Manual type
	F318		isolation plate lower 40x40x9mmt	α-A/B series
	F321		Isolator plate upper L=64x42x23mmt	WO series

	F322		Isolator plate lower L=56x43x15mmt	W0 series
	F330	A290-8037-X330	Pinch roller SUS OD80xID11x18mmt	O.P.Q.R.T.W series
	F331	A290-8037-X331	Feed roller SUS OD80xID28-20mmx18mmt	O.P.Q.R.T.W series
	F400	A97L-0001-0670	Bearing 1260Z for F401 & F402	W series
	F401-1	A970-0124-X002	Axle for F401S or F401C	W series
	F401S/S	A290-8004-V316	Wire sub roller stainless type (set)	W series


	F401C	A290-8004-X713	Wire sub roller ceramic type OD49xID9x6.5mm	W series
	F401C/S	A290-8004-V316	Wire sub roller ceramic type(set)	W series
	F402	A290-8006-X707	Wire sub roller stainless type OD64mm	W series
CONNECTED & OTHER PARTS				
	F403L		Block 38x38x18mmt	α-C series
	F403	A290-8103-X762	Guide base lower / stainless	α-A/B series
	F403-1		Lower guide block/stainless 59.5x37x20mmt	α-A series
	F404C	A290-8110-X770	Lower guide block A/Ceramic 59.5x49x20mmt	α-iA/iB/iC series AWF.Manual type
	F404C-1	A290-8110-Y770	Lower guide block / ceramic 69x51x20mmt	α-C,i series
	F405	A290-8101-X394	Feed guide plastic material 13x20x19mm	α-A/B/C series AWF.Manual type
	F406	A290-8101-Z382	Pinch roller ceramic (40x20x18mmt)	α-A/B series AWF.Manual type
	F407	A290-8101-Z383	Feed roller ceramic OD40xID12x19mm	α-A/B series AWF.Manual type
	F408	A290-8102-X393	Feed wire guide polycarbonate 57x20x20mm	α-A/B/C series AWF.Manual type
	F409	A290-8101-X371	Brake shoe upper OD140x22mm	α-A/B/C series AWF.Manual type

	F409-iB	A290-8111-X371	Brake shoe upper OD140x22mm	α-iA/iB series
	F409W	A290-8011-V352	Brake shoe upper	O.P.Q.R.T.W series
	F409WO	A290-8039-V352	Brake shoe upper OD100x22mmt	WO series AWF
	F410	A290-8110-X382	Pinch roller ceramic without bearing OD40xID28x30mmt	α-C series AWF.Manual type
	F411	A290-8110-X383	Feed roller ceramic OD40xID12x30mm	α-C series AWF.Manual type
	F412	A290-8110-Y762	Guide base for AWT	α-C/iA/iB series AWF.Manual type
	F413 F413S	A290-8112-X382	Ceramic pinch roller OD80x22mmt Stainless pinch roller OD80x22mmt	α-OiA/1iA/OiB/1iB series AWF.Manual type

	F414 F414S	A290-8112-X383	Ceramic feed roller OD80x25mmt Stainless feed roller OD80x25mmt	α-OiA/1iA/OiB/1iB series AWF.Manual type
	F417	A290-8037-X805	Pinch roller OD60xID28x18mmt	WO AWF
CONNECTED & OTHER PARTS				
	F418	A290-8037-X806	Feed roller OD60xID11x24mmt	WO AWF
	F419		Ceramic roller OD23xID12x12mmt	W3 semi-auto
	F420	A290-8032-V742	Roller assembly-right	Manual type
	F421C F421S	A290-8101-X765	Lower ceramic roller OD38xID22x12mm Lower stainless roller	α-A/B/C/iA/iB series
	F501	A97L-0001-0670	Lower bearing DRF2280H for F421C	α-OiA/1iA/OiB/1iB series AWF.Manual type
	F502	A97L-0201-0369	Lower bearing SS6001LLU for F406.F410.F417	α-A/B/C series
	F503	A97L-0201-0369	Lower bearing SS6203LLU OD40xID17x12mmt	α-A/B series
	F504		Lower set screw 11x25mmL	α-C series
	F505	A290-8110-X751	Upper set screw 11x34mmL	α-C,iB,iC,iD series
	F506		Shaft 12x85mmL	α-C series
	F507	A290-8112-X373	Shaft 17x95mmL	α-iA,iB series
	F508		Shaft 17x95mmL	α-OB series


	F509		Lower roller fixing board 73x52x6mmT	W series
	F510		Lower roller fixing board 78x69x7mmT	W series
	F512		Shaft OD29x30mmL	W series
		A290-8112-X378	Shaft OD37x99mmL	α-iA,iB series
		A290-8110-X766	Shaft OD10x24mmL	α-C,iA,iB series
		A290-8102-X656	Chuck	α-C,iA,iB series
		A290-8102-X657	Cutting electrode 6x6x10mmL	α-C,iA,iB series
		A98L-0001-0972	V-packing 4inch	α-0iA,1iA series
		A98L-0001-0973	V-packing 6inch	α-1iA,0iA,0iB series

		A290-8102-X622	Pipe head	α-1iC series
	F008	A290-8103-X366 A290-8103-X367	Position shaft (big) Position shaft (small)	α-B,C series
CONNECTED & OTHER PARTS 絕緣板,滾輪,零配件				
	F009		Upper water cover (submerged type)	α-B,C series
	F010		Upper water cover (flushing type)	α-B,C series
	Z041-F		Flow meter for Fanuc (made in Taiwan)	all machine type
	F513		Skirt (curtain) back	1C series
	F811		Seal	α-iA series
		A290-8110-Y767	Base Cover lower	α-C/iA/iB series Manual AWF
		A290-8104-X612	Block	
		A98L-0031-0012 (A98L-0031-0007)	SANYO battery CR17450SE-R(3V) (A98L-0031-0007,A02B-0200-K102)	
		FA290-8110-V165/FLTW	Float switch	
		F814	Roller 27x14x16Tmm	

		A290-8104-X633	Detection pin	
		A290-8119-X685	Pin block	
		A290-8102-X684	Cutter Spring	
		A290-8119-X382	Ceramic feed roller for iE type	
		A290-8119-X383	Ceramic roller for iE type	
		A290-8119-X693	Cutter spring	
		A290-8119-X691	Finger	
		A290-8116-X726	Sub guide	
		A290-8112-X656	Chuck rubber with 2-2.0mm 8.4x10x13.5mm	

		A290-8119-X766	Lower roller ceramic for wire 38*22/26*16T	
		A290-8116-Y756	Slide pin	
		A860-0346-T041	Fanuc Series pul secoder A	
		A290-8112-X391	Ceramic Wire-Protecting Device	
		A290-8119-X095	Bellow	
		A290-8109-X753	guide (ceramic in center)	
	F135-3		Water pipe fitting 1/8T * 1/4LB	Alpha C
		A97L-0201-0490	Jet Nozzle 1.5mm/2.0mm	
		A290-8112-X362	Gear	
		A290-8112-X363	Gear	
		A290-8112-X375	Spacer	
		A98L-0001-0347#S36	O-ring	

		A97L-0203-0424	Seal (26x10x4mm)	
		A290-8119-X618	Brake shoe OD100mm	
		A290-8112-Z716	wire guide d=0.26mm	
		A290-8112-Z706	wire guide d=0.25mm (F114C d=0.255mm)	
		A290-8116-Y546	Insulation block	
		A290-8112-Y759	Jet Nozzle	
		A290-8102-X778 (A290-8109-X778)	Water Nozzle	
		A290-8119-X762	Block	
		A290-8112-X394	Ceramic guide	

		A290-8102-X615	Ceramic guide	
		A290-8119-X639	Wire guide	
		A290-8110-Y728	Spring	
		A290-8120-Z764	Lower Isolate plate 56x40x20mmT	OiE AWT
		A290-8101-X335	Urethane roller 29 x14 x 22mm	for α A,B,C,iA,iB,iC,iD,400iA,600iA
		A290-8119-X762	Guide block 77x50x20mm	
		A290-8119-X373	Shaft for F413-1 17*95L	α iD,iE,600iA,400iA
		A660-8017-T650	Cable L=90mm	
		A60L-0001-0046/2.0A	Fuse 2.0A	
		A290-8112-X374	Ring	
		A290-8119-X378	Shaft	

		A290-8123-Z770	Block	
		A290-8123-Z772	Screw	
	F315	A290-8112-X535	Upper isolator plate 27*55*39mmT	
		A290-8110-Y769	Sheet	
		A98L-0001-0938#1555	Clip, set of 10 pieces	
		A290-8116-Y751	Upper Block	
		A290-8116-Y752	Upper Block	
		A290-8119-X625	Roller	
		A290-8102-X756	Jet nozzle 1.5mm	
		A97L-0201-0583/4B-M100	Sieve filter (No ring)	

		A97L-0201-0262#3	Fastener	
		A290-8119-X765	Cover for roller	
		A290-8120-Z782	Power feed holder	
		A290-8119-X626	Roller	
		A290-8116-Y757	Slide pin holder	
		A290-8116-Z060		
		A290-8119-X625	Roller	

LAM PHU TECH
Give Credibility Receive Trust