SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
POWER FEED CONTACT					
	S001	3080316	Conductivity piece B (upper) OD18x10mm	150W.AP150,BF250,BF275, EPOC300,AW series	
	S002	3080314	Conductivity piece A (lower) OD18x14mm	150W.AP150,BF250,BF275, EPOC300,AW series	
	S003S	3080318	Conductivity piece C (upper) OD16x10mm	150W.AP150,BF250,BF275, EPOC300,AW series	
	S005LS	3080307	Conductivity piece D (upper) OD12.5x14x11.7mm silver tungsten	BF250,BF275,EPOC300	
	S005LT	3080307	Conductivity piece D (upper) OD12.5x14x11.7mm tungsten carbide	BF250,BF275,EPOC300	
	S005RS	3080308	Conductivity piece D (upper) OD12.5x14x11.7mm silver tungsten	BF250,BF275,EPOC300	
	S006S	3080311	Conductivity piece D (lower) OD12.5x19x11.6mm silver tungsten	BF250,BF275,EPOC300	
	S008S	3080320	Conductivity piece U-shape (U&L) OD12x20.6mm / silver tungsten	AP150	
	S009S	3080301	Conductivity piece U-shape (U&L) 10x8x30mm / silver tungsten	AW330 453 series EPOC series	
	S009T	3082580	Conductivity piece U-shape (U&L) 10x8x30mm / tungsten carbide	AW330 453 series EPOC series	
	S010	3085936 3080972 3084592 0204934	Conductivity piece 87-3 (U&L) 4.88 or 4.98mm thickness x 20 x 40mm	AQ.A.EPOC.AP.BF.JL.PGW. EXC series	
	S010T	3085936 3080972 3084592	Conductivity piece 87-3 (U&L) coated tin 4.88 or 4.98mm x 20 x 40mm	AQ.A.EPOC.AP.BF.JL.PGW. EXC series	
	S010N	3085236 3110330 0291051 11802JA 118908	Conductivity piece 40 x 10 x 4.9mm	AG360L,AG400L,AG600L , AP250L,AP650L, AQ400L, AQ600L,SL400G, SL400Q, SL600G,SL600Q	
DIAMOND GUIDE					NOTE
	S100	3082983 3081436 3083330	Diamond split guide AWT D=0.11mm Diamond split guide AWT D=0.21mm Diamond split guide AWT D=0.26mm	AQ.A.EPOC.AP.BF.JL.PGW. EXC.AF series AWT type	
	S101	3080046 3080047 3080053 3080055 3080058 3080061 3080629 3081934	Sapphire split guide AWT D=0.11mm Sapphire split guide AWT D=0.21mm Sapphire split guide AWT D=0.16mm Sapphire split guide AWT D=0.17mm Sapphire split guide AWT D=0.22mm Sapphire split guide AWT D=0.27mm Sapphire split guide AWT D=0.26mm Sapphire split guide AWT D=0.31mm	AQ.A.EPOC.AP.PGW. EXC.BF.JL series AWT type	

	S101U	3087327	Upper guide for AWT-wide angle D=0.11mm Upper guide for AWT-wide angle D=0.16mm Upper guide for AWT-wide angle D=0.21mm Upper guide for AWT-wide angle D=0.26mm Upper guide for AWT-wide angle D=0.31mm		

SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
	S102	3080236 3080240 3080243 3080244 3080245 3080247 3080248 3080249 3080250 3080512	Diamond dies guide D=0.105mm Diamond dies guide D=0.16mm Diamond dies guide D=0.205mm Diamond dies guide D=0.21mm Diamond dies guide D=0.22mm Diamond dies guide D=0.255mm Diamond dies guide D=0.26mm Diamond dies guide D=0.27mm Diamond dies guide D=0.31mm Diamond dies guide D=0.155mm	150W.AP150,BF250,BF275, EPOC300,AW series Manual type upper & lower	
	S103 S103 W	3080982 3080990 3080991 3080998 3080999 3081000 3081017	Diamond guide 87-3 type D=0.22mm Diamond guide 87-3 type D=0.26mm Diamond guide 87-3 type D=0.31mm Diamond guide 87-3 type D=0.11mm Diamond guide 87-3 type D=0.16mm Diamond guide 87-3 type D=0.21mm Diamond guide 87-3 type D=0.27mm Diamond guide angle 100° / 120°	AQ.A.EPOC.AP.PGW.EXC. BF .JL series Manual(U&L) / AF(L) 87-3 type	
	S103L	3081136 3081137 3081138 3081139 3081490 3081717	Diamond long guide 87-3L type D=0.21mm Diamond long guide 87-3L type D=0.22mm Diamond long guide 87-3L type D=0.26mm Diamond long guide 87-3L type D=0.31mm Diamond long guide 87-3L type D=0.16mm Diamond long guide 87-3L type D=0.11mm	A280L.320L.A series AWT taper upper only	
	S104	3080210 3080213 3080219 3080220 3080223 3080224 3080225	Diamond guide D=0.11mm Diamond guide D=0.16mm Diamond guide D=0.21mm Diamond guide D=0.22mm Diamond guide D=0.26mm Diamond guide D=0.27mm Diamond guide D=0.31mm	AQ.A.EPOC.AP.PGW.EXC. BF .JL series AWT type with diamond (not sapphire)	
	S105		Diamond guide D=0.21mm Diamond guide D=0.26mm Diamond guide D=0.31mm	AP150 Manual type (high-long) U&L	
	S106	3080065 3080375	Sub guide C OD10xID0.8 x 20mm upper	AWT	
	S108	3082269	Guide shapphire C1 OD10xID2.0x10mm	AWT	
	S410-2		Diamond guide	AP series	
	S410-3		Top Diamond	AP series	
	S0206101	0206101	sodick wire Guide 87-3 0.11mm Blue		


	S0206104	0206104	sodick wire Guide 87-3 0.16mm white		
	S0206106 S0206107	02206106 0206107	sodick wire Guide 87-3 0.205mm Yellow sodick wire Guide 87-3 0.21mm Yellow		
	S0206110 S0206111	J03649A	sodick wire Guide 87-3 0.26mm Green sodick wire Guide 87-3 0.27mm Green		
	S0206113		sodick wire Guide 87-3 0.31mm Red		
WATER NOZZLE					NOTE
	S200	3081591	Water nozzle guide unit type 85-2	AW330/453.BF.EPOC. GW/GOW/GO series	

SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
WATER NOZZLE					NOTE
	S201	3081594	Water nozzle NE guide U&L D=5mm	330W.453W.654W Manual for 84 type SUS assy	
	S202	3082085	Rectifier nozzle 3WS U&L Manual	AW330.AW453.BF250. BF275.EPOC302 series	
	S202A	3080030	Water Jacket 3WS assy U&L Manual	AW330.AW453.BF250. BF275.EPOC302 series	
	S202B	3080593	Adjustment nut 3WS assy U&L Manual	AW330.AW453.BF250. BF275.EPOC302 series	
	S202C	3080358	Water nozzle 3WS assy U&L Manual	AW330.AW453.BF250. BF275.EPOC302 series	
	S202-S	3080639	Water nozzle 3WS assembly set U&L Manual	AW330.AW453.BF250. BF275.EPOC302 series	
	S203/6 S203/10	3082056	Water nozzle P U&L ID=6.0/10.0mm Manual	AP150 PGW150 series	
	S204	3082055	Water nozzle U&L ID=5.0mm Manual	150W series	
	S205		Water nozzle U&L ID=10.0mm Manual	150W series	
	S206		Water nozzle U&L ID=5.0mm Manual Water guide with nose	150W series	
	S207	3082997 3082998 3081604 3081606 3081868	Water nozzle G3 AWT upper ID=3.0mm Water nozzle G4 AWT upper ID=4.0mm Water nozzle C AWT upper ID=6.0mm Water nozzle H2 AWT upper ID=10.0mm Water nozzle T2 AWT upper ID=12.0mm for 30° Taper	AQ.A.EPOC.AP200~AP550. PGW. EXC.BF.JL series	
	S207L	3081682 3081684 3081689 3082396	Long nozzle LN1 AWT upper ID=6.0mm+6.5mm Long nozzle LN3 AWT upper ID=6.0mm+11.5mm Long nozzle LN5 AWT upper ID=6.0mm+16.5mm Long nozzle LN7 AWT upper ID=6.0mm+26.5mm	AQ.A.EPOC.AP200~AP550. PGW. EXC.BF.JL series	
	S207L/10	3081683 3081685 3081690 3082397	Long nozzle LN2 AWT upper ID=10.0mm+6.5mm Long nozzle LN4 AWT upper ID=10.0mm+11.5mm Long nozzle LN6 AWT upper ID=10.0mm+16.5mm Long nozzle LN8 AWT upper ID=10.0mm+26.5mm	AQ.A.EPOC series. AP200~AP550. PGW. EXC. BF.JLseries	
	S208		Water nozzle lower ID=3.0mm Water nozzle lower ID=4.0mm Water nozzle lower ID=6.0mm Water nozzle lower ID=10.0mm	A(350,500). AW(330,453.454.455.456)	


	S209	3082156 3082128 3082207 3081674 3081676 3081867	Water nozzle Manuai E2 AF U&L ID=2.0mm Water nozzle Manuai E3 AF U&L ID=3.0mm Water nozzle Manuai E4 AF U&L ID=4.0mm Water nozzle Manuai A AF U&L ID=6.0mm Water nozzle Manuai H1 AF U&L ID=10.0mm Water nozzle Manuai T1 AF U&L ID=12.0mm	AQ.A.EPOC.AP200~AP550. PGW. EXC.BF.JLseries	
	S209-1	3086396 3086746 3086742	AWT Float nozzle S 90-3 lower ID=6.0mm AWT Float nozzle F 90-3 lower ID=10.0mm AWT Float nozzle T 90-3 lower ID=12.0mm	AQ series,AP200L.450L	
	S209AS	3081679	Water nozzle without O-ring ID=6.0mm L=16.8mm	A350W.A500W	
	S209W	Special 3086386 3086443 3086486	AWT Float nozzle S 87-3 lower ID=4.0mm AWT Float nozzle S 87-3 lower ID=6.0mm AWT Float nozzle F 87-3 lower ID=10.0mm AWT Float nozzle T 87-3 lower ID=12.0mm	AQ.A.AP300~550 series	

SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
WATER NOZZLE					NOTE
	S209WN-6		Water nozzle without O-ring	AQ660L	
	S210	3082603	Water nozzle		
		3082603	Water nozzle lower ID=3.0mm Lehmann type	A280L~450L series	
CONNECTED PARTS					NOTE
	S135		Water pipe fitting		
	S301	3080178	Isolator plate upper 90-1 type	AWT	
	S301-AWT	3082518	Guide block ceramic for compact cylinder 77x50x20mmt	A530D…etc 90-1 type AWT	
	S301-2		Guide block ceramic for AQ type 97 57.5x50x20mmt	AQ type	
	S400-S	3050098	Pulley "E" for belt / SUS OD=25 mm	AP200/450.AW.EPOC.E110. BF-AWT	
	S400-C	3050131 3050161	Pulley "E" ceramic assembly for wire evacuation belt with 2mm groove OD=25 mm	EPOC.BF-AWT	
	S400C-1	3050047	Pulley "E" ceramic assembly for wire evacuation belt flat type OD=25mm	Manual/AF	
		3052384	Ceramic pulley only flat type without groove OD25X24mmT		
	S401		Bearing SS626LLB for pulley		
	S405		Belt wire roller upper	AP200	

	S406	3086387	Nozzle guide lower for S209W A WT下	AQ.A.AP300~550 series	
	S406-1	3086221	Spring ring lower for float nozzle	AQ.A.AP300~550 series	
	S406N-1		Spring ring FJ(for sodick new machine)	SL600Q	
	S407	3081032	Nozzle guide for S209 upper & lower for AWT.manual type	AQ.A.EPOC.AP200~AP550. PGW.EXC.BF.JL series	
	S407-1	3082668	Nozzle guide for S209 upper for manual type only	AQ.A.EPOC.AP200~AP550. PGW.EXC.BF.JL series	
	S408	3082804 3082526	Nozzle guide upper for S207 A WT	AQ.A.EPOC.AP200~AP550. PGW.EXC.BF.JL series	
	S408L		Nozzle guide (long type)		
	S409	3082629 3081983	Nozzle guide U&L D=22mm	A320.A350.A500 series	
	S409-1	3082629	Nozzle guide lower for L series D=18mm	L series	

SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
	S410		Top guide holder for AP series	AP series	
	S410-1		Nozzle guide holder for S207	AP series	
	S411		Urethane roller upper OD100xID12x22m mt	A500.A350.AP330.AP150	
	S412		Urethane roller upper OD100xID10x22m mt	BF.A.AP series	
	S412-1 (S416)	3053703	Tension urethane roller upper OD100xID10x20mmt	A530D.AQ325.AQ325L series AW series	
	S412-2		Urethane roller OD40x8x19.5mmt	AW series	
	S412-3		Urethane roller OD40x8x10mmt	AQ series	
	S413		Urethane roller upper OD100xID7x22mmt	BF275 old type	
	S413-1 (S417)	3054678	Tension urethane roller upper OD100xID19x20mmt	AQ325L.535L…series AP200	
	S414C	3052991 3052771	Ceramic feed roller "B" OD70xID15x20mmT	A500W.A320D.A530D	
	S414S	3052147	Feed roller"B" OD70xID15x20mmT SUS	A500W old type	

	S415C	3052992	Ceramic feed roller "C" OD70xID24x20mmT	A500W.A320D.A530D	
	S415S	3052772	Feed roller"C" OD70xID24x20mmT SUS	A500W old type	
	S418	3051534	Urethan roller for light weight type OD100xID12x20mmt	A320.A530	
	S420	3052979	Urethane roller OD40xID19x20W	A(new type), AQ series	
	S500	3084628 3080035	Cutter upper for AWT	W400135D	
	3080375	3080375	AWT pipe upper D=2.0-1.0mm L=285mm	A500.A530D.A325.EXC100. AP20L.AP450L. 85AWT	
	3080374	3080374 3082269	AWT pipe upper D=2.0-0.7mm L=285mm	A500.A530D.A325.EXC100. AP20L.AP450L. 85AWT	
	3083123	3083123 3080297	AWT pipe upper OD=2.0 ID=1.0 - 0.3mm L=285mm	AP200L.AP450L 85 AWT fine wire	
	3082452	3082452	AWT pipe upper D=2.0-1.0mm L=152mm	A300.A320.BF275	
	3085966	3085966	AWT pipe upper D=2.0-1.0mm L=275mm	AQ series.AQ600L.AQ550L 97AWT	
	3085967	3085967	AWT pipe upper D=2.0-0.7mm L=275mm	AQ series.AQ600L.AQ550L 97AWT	
	S700	3080711	AWT slide belt L=335mm	A350.A600W 85AWT	
	S701	3082451	AWT slide belt L=195mm	A325.A300.A320.BF275	

SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
	S702	3081706	AWT slide belt L=385m m	A750.A500H.A350H S500 97AWT	
	3080696	3080696	Spring for AWT slide belt	all type	
	4130966	4130966	Discharge cable L=80mm		
	4130799	4130799	Discharge cable SQ8.0x900mmL		
	4130894	4130894	Discharge cable SQ8.0x1100mmL		
	4133356	4133356	Discharge cable SQ8.0x1200mmL		
	3080653	3080653	Guide shaft for AWT	AWT	
	3083108	3083108	Slide shaft for AWT	AWT	
	S5005	3082521	Slide block upper	AWT	
	3080978	3080978	Insulation block lower	BF275.EOPC500/600/800 series	
	S5012	3082519	Die block upper for new type AWT	AWT	

	S5013		Conductivity block F(S5013-1) assembly with flange U&L	A.EPOC.BF275 series	
	S5013-1		Block upper AWT	A.EPOC.BF275 series	
	3082120	3082120	Die block upper assembly	A300.A320.A530 Manual type	
	3082520	3082520	Flange upper	A series AWT type	
	3082119	3082119	Flange upper	A series Manual type	
	2040849	2040849	Bevel gear D=32 / 10 x 17mm	A350.A500 series	
	3053114	3053114	Flange lower	A series AWT type	
	3083114	3083114	Flange lower	A series Manual type	
	3081035	3081035	Electric pin lower	A.EPOC series	
	3051072	3051072	Jet nozzle set lower	A series	
	S5026		Aspirator block large	A530D	
	S5027	3081247	Aspirator block small	A280.300.320D	
	S5028		Aspirator nozzle A plastic material	A280.A300.A320.A530	
	S5029		Aspirator nozzle B plastic material	A280.A300.A320.A530	
	S5030	3054736	Aspirator nozzle C plastic material	A530	
	S5030C		Aspirator nozzle C Ceramic material	A530	

LAM PHU TEC
Give Credibility Receive Trust

SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
	S5031	3051202	Pulley B (S5032) assembly set	A series	
	S5032	3051799	Pulley B ceramic for lower block OD=68mm	A series	
	3051262	3051262	Block for ceramic pulley "B" 72x58/30x25mmt	A500.A500H series	
	3050812	3050812	Ceramic pulley E-set assembly OD=32mm	BF275 (AS5614)	
	S5048	3052149	Feed roller "B" OD50x24mmt stainless	BF275	
	3050193	3050193	Roller "C" OD50x40m mt	EPOC600/800 series	
	3085499	3085499	Terminal Electrode 18x14x5mm		
	3030870	3030870	Stopper 6x9.3Hx50W	A500W. 350W. A320	

	3086340	3086340	Wire guide holder cover	A500, AQ325C	
	S8401		Wire guide holder	A453W	
	Z041-S	3000937	Flow meter for Sodick		
	2040061 / 2040068 / 2040062 / 2040069 / 3050123 / 3050117…		EDM belts		
	S5120		Nozzle guide 45(R:53)xid18mm t=10.5mm	AQ327. AQ537	
	3088160		Sodick discharge cable	AQ360L	
	3087630 (116492A)		Sodick discharge cable		
	S101A-1		Pin		
	3087260		Sodick discharge cable 60X700mm		
	2070132		Seal		
	436850C	436850C	AWT pipe upper D=2.0-0.7mm L=285mm		
	436849C	436849C	AWT pipe upper D=2.0-1.0mm L=285mm		
	436937C	436937C	AWT pipe upper D=2.0-1.4mm L=285mm		
	3110137	3110137	Discharge cable AG600		
	3083256	3083256	AWT pipe upper D=2.0-0.5mm L=283mm		
	S517		VALVE 4KB119-00-C2-DC24V		
	S410-5		Oring (for S410-2) O-RING 內 22x外24 for S410-2		

SODICK

Photo	Emete No.	Original No.	Description	Specification	NOTE
	S410-4		Oring (for S410-1) O-RING 39x31 for S410-1		
	3091130	3091130	Geared wheel		
	3091131	3091131			
	MHZJ2-6S	MHZJ2-6S			
	CW50412A	CW50412A	Nozzle jet Tobera sodick AWT type (ID 2.0mm)		

	116492C	116492C	Discharge cable		
	4131232	4131232	cable 800mm		
	3089196	3089196	split guide 0.255mm (2pc/set)		
	118534C	118534C	Roller 70x17x25(25.9)		
	S043		Wire guide remove tool		
	S043-1		wire guide remove tool		
	4133806		Cable L=950mm		
	3087038	3087038	Discharge cable AQ550		
	S5030-1		Plastic Tube		
	3110135	3110135	Sapphire guide type C-10 10x5x0.8mm		
	3055057	3055057	Pipe 1100mmL OD10mm ID6mm		
	BR688		BR688ZZ for lower roller S5032, 8x16x5mmT Sodick		

LAM PHU TEC
Credibility Re ist